

Subject Index

Numbers refer to article numbers

- Abrasion resistant steels, 441
 - classification, 441
 - temperature effects, 441
- Activated sintering, 450
 - by electroless plating, 498
 - densification, microstructure & mechanical properties, 491
- Air content in pores
 - effect on properties, 506
- Al-Cu alloys, precipitation hardening, 484
- Al₂O₃ particles in stainless steel, 492
- Alumina dies
 - for resistance sintering, 417
- Aluminum
 - AIME meeting, 459
 - by atomization, 425
 - fatigue crack propagation, 480
 - future developments, 403
 - hot extrusion, 427
- Aluminum-Nickel
 - composite powder by electroless nickel plating, 477
 - effect of plating time, 477
- Applications of refractory metals, 424
- Astroloy, 454
 - hot pressing, 454
 - rheology, 454
 - superalloys, 454
- Atomization
 - annular gas nozzle, 461
 - correlation (transverse dimensional), 476
 - jet nozzles arrangement, 425
 - low pressure water blasting, 425
 - of Cu, Al steel, 425
 - production cost, 477
 - rotating electrode process, 404
 - tin powder, 461
 - variation in particle shape, 461
- Bearings testing and strength, 426
- Boron in glassware, 442
- Capillary-induced filtration, 525
- Cemented carbides
 - microstructure vs composition, 462
 - structure vs properties, 462
 - TiC and MoC and NbC, 462
 - Wc, 456
- Classification of powders, 447
- Coating of powders, 483
- Cogent-program, 411
- Compaction
 - double action, 505
 - dynamic, 386
 - effect of air content, 506
 - explosive, 499
 - green strength, 448
 - iron powder, 401
 - of complicated shapes, 448
 - of ferrous powders, 392
 - rotary die motion, 412
 - shock hardening, 386
 - vs ejection response, 389
- Composite materials
 - cold extrusion, 387
 - fiber alignment, 387
- Computers for cost calculations, 415
- Copper
 - activated as infiltrant, 472
- Copper powder electrolytic production, 504
- Cost calculation, 415
 - unit cost, 415
- Cu-Sn bronze
 - compaction, 389
 - properties, 426
- Degassing of powders, 489
- Densification by extrusion, 497
- Density of explosively compacted Fe powders, 499
- Desorption of gas molecules in M-powders, 489
- Die motion (rotary), 412
 - effect of speed, 412
- Dimensional changes of liquid phase Fe-Ni, 523

- Dynamic compaction, 386
 shock hardening, 386
- Electrical contact materials
 W-Cu, 433
 hardness vs conductivity, 433
- Electron probe microanalysis, 391
- Electroless coating
 of particles, 483
 of P/M iron parts, 494
- ESCA (electron spectroscopy for chemical analysis), 470
- Explosive compaction of Fe powders, 499
- Extrusion
 aluminum powder, 427
 cold materials, 387
 composite materials, 387
 densification at low pressure, 497
 fatigue properties, 388
 grain structure, 388
 hot, 427
 of green compacts, 497
 properties of extruded powders, 388
- Fatigue
 effect of notch activity, 455
 of P/M steels, 501
 of X7091 Al, 455
 properties of extruded powders, 388
- Fatigue cracks (Al alloys) vs pore characteristics, 480
- Fe-Cu
 aging, 414
 cold extrusion, 387
 hardness, 414
 TRS vs hardness, 414
 transverse, 414
- Fe-Ni, 523
 dimensional changes, 523
 liquid phase sintering, 523
- Fe-Ni alloys
 hydrogen reduction, 394
 magnetic applications, 393
 magnetic characterization, 394
 mixed oxide preforms, 394
 sintering behavior, 394, 418
 x-ray analysis, 418
- Fe-Si materials, 522
 magnetic properties, 522
 sintering behavior, 522
- Fibers
 cold extrusion, 387
- Fine grain structure
 steel, 438
 effect of Mn, 438
 tensile strength, 438
- Flow
 soft magnetic applications, 393
- Flow behavior of powders, 482
 effect of test equipment, 482
- Forging
 compression test, 395
 friction coefficient, 395
 heat treated steels, 397
 lubricants, 395
 of sintered loose powders, 471
- Formability, 471
- Fracture toughness of P/M steel, 500
- Friction between particles, 483
- Fuldens process, 397
- Future of P/M, 518
- Gas atmospheres
 effect on Fe-Ni-P, 390
- Glass powder, metallic, 453
 alloys, 453
- Glassware, 442
 effect of Cr, 442
 effect of Ni-B-Si alloy, 442
- Grain boundary cavitation, 430
- Green strength of P/M compacts, 448
- Halowax binder, 394
- Hametac iron powder, 438
- Hard magnets, 422
 barium ferrites, 422, 399
- Hardenability of Mn-steel, 431
 diffusion, alloying, 431
 Cu-Mn infiltrants, 431
- Hot consolidation of P/M preforms, 507
 effect of porosity, 507
- Hot extrusion
 effect of reduction ratio, 427
 of Al powders, 427

- pressure contours, 427
- properties, 427
- Hot hardness, metallic glass alloys, 453
- Hot Isostatic Pressing (HIP) of maraging steels, 434
- Hydrogen reduction of 50Fe-50 Ni, 394
- Inconel 718
 - characteristics, 400
 - Cr-evaporation, 400
 - porosity, 400
 - sintering, 400
- Infiltration
 - of iron skeleton with cast iron, 525
 - steel, 431
- Interconnected porosity, 413
- Iron
 - impact properties, 510
 - particle boundary in sintered Fe, 490
- Iron activated sintering, 490
- Iron - phosphorus
 - effect of Ni, 390
 - effect of gas atmosphere, 390
- Iron powder production
 - atomization, 416
 - electrolytic, 416
 - hydrogen reduction, 416
 - shipments, 416
- Liquid phase
 - ferromanganese, 405
 - manganese steels, 405
 - thermal conductivity, 413
 - W-Ni, 419
- Liquid phase sintering
 - by mechanical activation, 472
 - improved properties, 524
 - of Fe-Ni, 523
- Loose powder sintering, 471
- Lubrication
 - Acrawax, 392
 - effect on powder flow, 393
 - Lithium stearate, 392
 - in compacting, 389
 - in ejecting, 389
 - in forging, 395
 - teflon, 395
 - zinc stearate, 389, 392
- Magnetic materials
 - effect of processing, 439
- Magnetic properties, 422, 522
 - coercive force vs porosity, 394
 - effect of processing, 439
- Manganese
 - effect on steel structure, 438
- Manganese steels, 405
 - grain structure, 438
 - hardenability, 431
 - infiltration, 431
 - liquid phase, 405
 - sublimation in gas, 405
- Maraging steel
 - compositions, 434
 - Ti-effects, 434
- Marketing in P/M, 488
- Mechanical activation by liquid phase sintering, 472
- Meeting Reports
 - 7th Powder Technology and Bulk Solids 1980, 402
 - 6th P/M Conference in India, 408
 - 1980 Powder & Bulk Solids Conference, 409
 - 1980 Int. P/M Conference (Washington), 410
 - MPR Conference on P/M Superalloys, 421
 - 10th Plansee Seminar, 428
 - 1981 National P/M Conference, 429
 - 1981 Int. Conference on Sintering (Yugoslavia), 445
 - 1981 Int. P/M Conference (Dresden), 446
 - 1981 Symposium on Powder Technology, 452
 - 1982 Productivity & P/M (Germany), 458
 - 1982 AIME Annual Meeting, 459
 - P/M '82 in Europe, 467
 - 1982 National P/M Conference, 468
 - 1982 Indian P/M Conference, 469
 - 1982 P/M '82 (Europe), 468
 - 1982 P/M Group 25th Anniversary, 475
 - 1983 TMS-AIME Conference, 487
 - 1983 Powder & Bulk Solids, 496
 - 1983 Metals Congress, 503
 - 1984 Int. Conference (Toronto), 528
- Metallic glass powder, 453

- alloys formed, 453
- hot hardness, 453
- Metallwerk Plansee, 437
 - seminar, 428
 - 60th anniversary, 437
- Mixing
 - effect of time, 392
 - effect on apparent density, 392
 - of ferrous powders, 392
 - of Fe-Ni, 394
 - optimal rotational speed, 432
- Mo powder, Ni-P plated, 498
- Molybdenum
 - treated with Ni, Pd, Pt, 450
- Nickel
 - effect on iron-phosphorus, 390
- Nickel-phosphorus plated Mo powders, 498
- Ni powders
 - pressing and sintering, 521
 - various Inco Ni powders, 521
- Nickel steel
 - low alloy, 474
 - microstructure, 474
 - modulus of rupture, 502
- Particle shape
 - by atomization, 461
- Particle size
 - on mechanical properties, 420
 - soft magnetic application, 393
- Particle size distribution
 - effect of binder, 393
 - rotating electrode process, 404
- Plasma arc spraying, 443
 - coating, 444
 - Mo plasma spray powders, 443
 - vacuum plasma deposition, 444
 - W-Co plasma spray powders, 443
- P/M
 - design competition, 406, 436, 466, 495, 527
 - conferences, 428, 429
 - in China, 451
 - in Italy, 486
 - industry (1982), 460
 - of aluminum (Metals Congress 1983), 503
 - P/M compacts
 - density distribution, 449
 - green strength, 448
 - grid mask, 449
 - mechanical behavior, 449
 - variable cross sections, 449
 - P/M parts
 - cost, 415
 - thermal conductivity, 413
 - P/M steels
 - elongation vs C-content, 524
 - fatigue, 501
 - fine grain structure, 438
 - P/M vs investment casting, 466
 - Porosity
 - effect of powder type, 407
 - effect on magnetic properties, 394
 - Inconel 718, 400
 - interconnected, 417
 - isolated pores, 419
 - pore morphology, 407
 - W-Ni, 419
 - Powder characteristics
 - zirconium and boron, 457
 - tin, 461
 - Powder index, 447
 - classification of powders, 447
 - Powder metallurgy, present status in:
 - Canada, 464
 - France, 398, 513
 - India, 515
 - Italy, 485
 - Japan, 399, 516
 - Korea, 517
 - North America, 511
 - People's Republic of China, 451
 - Scandinavia, 514
 - Turkey, 465
 - United Kingdom, 396, 511
 - West Germany, 397, 512
 - Powder production cost for various processes, 478
 - Powders
 - Ancorsteel 1000, 389, 391
 - Armco iron, 448
 - Atomet 28, 448
 - flow behavior, 482

- maraging steel, 434
- 316L stainless steel, 389
- Rene 95, 403
- stainless steel, 392
- titanium, 403
- tungsten, 423
- vacuum degassing, 489
- Precipitation hardening of P/M Al-Cu, 484
- Protective coatings, 440
 - Amdry MCrAlX coating, 444
 - glass industry applications, 442
 - mining applications, 441
 - plasma arc spraying, 443
 - thermal sprayed coatings, 441
 - vacuum-plasma, 444
- Rapid solidification treatment, 435
- Refractory metals, 424
 - applications, 424
 - P/M production, 424
 - properties, 424
- Rene 95, 403
- Repressing of sintered Fe-compacts, 473
 - reduction in height, 473
- Rocket propellant powders (zirconium, boron), 457
- Rotary die motion, 412
 - die speed vs pressure, 412
 - effect on properties, 412
 - motion speed, 412
- Rotary motion compaction, 401
 - effect of rotational die speed, 401
 - friction forces, 401
- Rotating electrode process, 404
 - effect of angular velocity, 404
 - particle size distribution, 404
- RSR processed Fe-Si-Al alloys, 485
- RST
 - Ductility: maraging steel containing titanium, 434
 - Fe-Si-Al alloys-mechanical behavior, 485
- Silver alloy powder, 478
- Sintering
 - dimensional changes, 407
 - during extrusion, 427
 - FeSi materials, 522
 - ferritic stainless steel, 492
 - high temperature, 407
 - Inconel, 718, 400
 - innovations, 519
 - Int. School of Sintering (1983), 520
 - iron nickel magnetic alloys, 418
 - iron phosphorus, 390
 - liquid phase, 413, 418
 - loose powders, 471
 - particle boundaries in iron, 490
 - premixed manganese steels, 405
 - resistance, 417
 - Slow cooling of Ni-steels, 502
 - Soft magnetic materials, 393
 - effect of particle size, 393
 - 50 Fe-50 Ni, 393, 418
 - manganese fine ferrites, 399
 - production, 422
 - Space manufacturing of P/M products, 481
 - Stainless steel
 - 434L containing Al₂O₃, 492
 - mixing, 392
 - State of the P/M industry, 488
 - Steels
 - low alloys transformations, 391
 - maraging steels, 434
 - Steels containing transition metal carbides alloys, 526
 - properties, 526
 - Superalloys
 - Astralloys, 454
 - Surface analysis of steel powders, 470
 - Surface protection, 440
- Telephone tokens by P/M, 479
- Test equipment for powder flow, 482
- Testing
 - rate of testing, 426
- Thermal conductivity, 413
 - effect of atmosphere, 413
 - effect of porosity, 413
 - effect of temperature, 417
 - of iron compacts, 417
- Thermal spray coatings, 441
- Titanium
 - effects on maraging steel, 434
 - future developments, 403
- Transformation of low alloy steels, 391

- Transverse atomization dimensional correlation, 476
- Transverse rupture strength vs hardness, 414
- Tungsten
 - enhanced sintering, 509
 - silver P/M parts, 493
 - supplies, 423
- Unit cost
 - calculation, 415
 - formulas for P/M parts, 415
- University research, 411
- Vacuum degassing of metal powders, 489
- Wc
 - effect of grain size, 456
 - grain size vs cutting, 456
- W-Ni liquid phase, 419
 - microstructure, 419
 - porosity, 419
- Welding
 - cold welding, 386
 - P/M parts, 463
- Welding P/M parts, 463
- Yielding in sintered Fe, Fe + P compacts, 508
 - impact properties, 510
- Zirconium as rocket propellant, 457