

# SUBJECT INDEX

*Numbers refer to article numbers*

- Agglomerates
  - spheroidization of WC-Co, 665
- Agglomeration
  - W-Co spheroidal particles, 546
- Aircondos, 642
- Aluminides processing, 696
  - rapidly solidified ceramic-titanium aluminide powders, 692
- Aluminum and aluminum alloys
  - Ceracon processing of 2124 Al, 680
  - damping behavior, 677
  - damping properties, 658
  - market assessment, 586
  - mechanical properties of 7075-type alloy, 628
  - mechanically alloyed, 677
  - microstructure of 2124 Al, 680
  - rapidly solidified, 584, 586
  - rapidly solidified 7075-type alloy, 628
  - rapidly solidified by liquid dynamic compaction, 550
  - tensile properties of 2124 Al, 680
  - weldable, 584
- Aluminum flake
  - conductive plastics, 553
  - EMI shielding, 553
  - thermal conductivity, 553
- Al-Fe-Ce powders
  - rapidly solidified and mechanically alloyed, 551
- Al-Li-Cu
  - influence of oxides on properties, 711
- Aluminum powders
  - liquid phase sintering, 563
  - explosion prevention, 575
- Aluminum matrix composites
  - damping behavior, 677
  - mechanically alloyed, 677
- Applications
  - as-sintered connecting rods, 630
  - automotive, 534, 630
  - automotive parts, 591, 659
  - brass, 612
  - intermetallic compounds, 582
  - marine, 584
  - metal cutting chips, 612
  - metal matrix composites, 585
  - new, 706
  - prealloyed Ti for airframe structures, 595
  - weldable rapidly solidified Al, 584
- Atomization
  - of a cobalt free high speed steel, 714
- Bearings
  - Cu-Sn-Ni, 573
  - glass additions, 589
  - self lubricating, bronze, 564, 565, 589
- Beryllium
  - near net shape, 695
- Bonding
  - Fe-Cu powder compacts, 681
- Brass
  - metal cutting chips, 612
- Bronze bearings
  - self lubricating, 564, 565
- Carbon
  - in Fe-Mo-B, 558
- Cemented carbides
  - stability of discontinuities, 599
- Ceracon processing
  - microstructure of 2124 Al, 680
  - tensile properties of 2124 Al, 680
- Ceramic parts
  - markets and technology, 567
- Characterization
  - of rapidly solidified aluminide powders, 692
- Co-sintering
  - composites, 609
  - controlled thermal expansion, 609
- Cobalt
  - in superalloys, 607
- Comments on Paper No. 547, 566
- Compaction
  - hot compaction equation, 608
- Composite preforms
  - sinter bonding, 650
- Composites
  - aluminum matrix, 677
  - applications and potential, 585
  - controlled thermal expansion, 609
  - gold-glass, 561
  - metal matrix, 585
  - metal-ceramic by co-sintering, 609
  - nonequilibrium dihedral angles, 687
- Compressibility
  - Fe powders, 557
- Computer aided design
  - production of P/M parts, 641
- Computer simulation
  - of specimen shape and ductility, 701
- Conductive plastics
  - EMI Shielding and thermal conductivity, 553
- Conference Reports
  - 11th Plansee Seminar, 545
  - 1986 Annual Powder Metallurgy Conference and Exhibition, 578
  - 1988 International Powder Metallurgy Conference & Exhibition, 634
  - 1989 Powder Metallurgy Conference and Exhibition, 673
  - 1990 Powder Metallurgy Conference & Exhibition, 709
  - ASM International Conference on Rapidly Solidified Materials, 570
  - International Conference on High-Tc Superconductors and Materials and Mechanisms of Superconductivity, 637
  - International Conference on Sintering of Multiphase Metal and Ceramic Systems, 683

- Micrometallurgy '88— Nontraditional Metallurgy in a Changing Environment, 635
- National Seminar on Powder Metallurgy Opportunities, for Engineering Industries, 579
- Near Net Shape Manufacturing Conference, 675
- New Materials by Mechanical Alloying Techniques, 674
- P/M '86 In Europe—International Conference and Exhibition, 580
- P/M '90: International Trends and Development, 716
- P/M '90: Science, Technology and Education, 717
- P/M in Aerospace and Defense Technologies, 700
- Powder Injection Molding Symposium, 720
- Powder Metallurgy and Related High-Temperature Materials, 645
- Second ASM International Conference on Rapidly Solidified Materials, 636
- Second SAMPE Metals and Metals Processing Conference, 655
- Seminar on the Development and Use of Powder Metallurgy in Engineering Industries, and International Powder Metallurgy Exhibit, 538
- Sixth World Titanium Conference, 646
- Copper infiltrated steel
  - impact and fatigue properties, 560
- Cu-Sn-Ni
  - bearings, 573
- Corrosion resistance
  - influence of slag particles in a stainless steel, 627
- Cost modeling
  - rapidly solidified powders, 629
- Crack initiation
  - in low cycle fatigue, 712
- Damping behavior
  - mechanically alloyed aluminum, 677
  - mechanically alloyed aluminum matrix composites, 677
- Damping properties
  - aluminum alloys, 658
- Deformation
  - rapidly solidified 7075-type alloy, 628
  - superplasticity of an ultrahigh carbon steel, 666
- Density
  - full density net shape injection molded parts, 536
  - high density forming processes, 539
  - impact properties, 537
  - sintering to high density, 540
- Design Competition (1985), 549
- Design Competition (1986), 576
- Design Competition (1987), 605
- Design Competition (1988), 631
- Design Competition (1989), 669
- Dihedral angles
  - nonequilibrium, in composites, 687
- Dispersion hardening
  - use on Nb in implants, 554
- Dispersion strengthening
  - uranium, 651
- Ductility
  - computer simulation, 701
- EMI shielding
  - conductive plastics, 553
- Explosion prevention
  - of Al powders, 575
- Fatigue
  - high speed steels, 713
  - modeling crack initiation, 712
- Fatigue properties
  - copper infiltrated steel, 560
- Filters
  - tin bronze powders, 652
- Financing technical growth, 597
- Flux-enhancement of alloying
  - Fe-3%Si, 638
- Forming processes
  - high density, 539
- Fourier analysis
  - for powder characterization, 535
- Fracture behavior
  - Fe-Al-Si alloys, 544
  - rapidly solidified alloys, 544
- Friction in powders, 588
- Gas atomization
  - cost modeling, 629
  - of Zn, 684
- Gas atomization rate
  - analysis and control, 710
- Gas pressure quenched alloys
  - mechanical properties and microstructure, 559
- Glass additions
  - effect on properties of bronze bearings, 589
- Glassy alloys
  - Fe-Cr-Ni-B glassy alloy, 583
  - superplasticity, 583
- Green strength
  - interface in multilayered compacts, 571
- Heat treating
  - of a cobalt free high speed steel, 715
- High frequency vibrating arc electrode
  - used in production of metal powders, 647
- High speed steels
  - atomized, 714
  - heat treated, 715
  - hot isostatically pressed, 714
  - rolling contact fatigue, 713
  - structure and properties, 714, 715
- Hot isostatic pressing
  - alternatives, 542
  - influence of surface oxidation, 615
  - martensitic chromium steel, 615
  - of a cobalt free high speed steel, 714
- Impact properties
  - effect on density and pore shape, 537
- Impact strength
  - copper infiltrated steel, 560
- Implants
  - dispersion hardened Nb, 554
- Infiltration
  - joining of iron powder compacts, 594
- Injection molding
  - carbonyl iron with polyethylene wax, 679
  - full density net shape parts, 536
  - markets and technology, 567
  - metal, 617, 668
  - metal, experimental design optimization, 703

- metal, standards review, 707
- tungsten heavy alloy, 640
- wick debinding distortion, 702
- Intelligent particulate processing, 601
- Intelligent sensors for atomization, 705
- Intermetallic compounds
  - applications, 582
- Iron and iron alloys
  - Fe powders
    - increasing compressibility, 557
  - Fe-Al mixes
    - sintering, 529
  - Fe-Al-Si
    - fracture behavior, 544
    - rapidly solidified, 544
  - Fe-Cr-Ni-B
    - superplasticity, 583
  - Fe-Cu
    - bonding of compacts, 681
  - Fe-Fe<sub>2</sub>Ti
    - liquid phase sintering, 572
  - Fe-graphite compacts
    - alloying catalysis, 556
  - Fe-Mo-B
    - effect of Mo and C, 558
    - effect of Ni on mechanical properties, 593
  - Fe-P compacts
    - tensile flow and fracture, 533
  - Fe-3%Si
    - flux-enhancement of alloying, 638
  - Fe-Si-Al alloys
    - microstructure and properties, 548
    - rapidly solidified, 548
- Jet behavior
  - ultrasonic gas atomization, 657
- Joining
  - infiltration, 594
- Light alloy development
  - rapid solidification processing, 693
- Liquid dynamic compaction
  - rapidly solidified Al, 550
- Liquid phase sintering
  - densification theory, 686
  - Fe-Fe<sub>2</sub>Ti, 572
  - liquid flow of W-Ni-Fe compacts, 531
  - necklace microstructures, 552
  - process review, 685
  - stainless steel and aluminum powder, 563
  - supersolidus, 685
  - tungsten heavy alloys, 648
- Low cycle fatigue
  - modeling effect of porosity on crack initiation, 712
- Machinability, 610
  - effect of porosity in 304L stainless steel, 660
- Machining grade compacts
  - powder composition effects, 530
  - sintering atmosphere effects, 530
- Magnesium base alloys
  - rapidly solidified, 581
- Magnetic materials
  - physics of, 678
- Magnets
  - rare earth permanent magnets, 667
- Marine applications
  - weldable rapidly solidified Al, 584
- Mechanical alloying
  - Aluminum and aluminum matrix composites, 677
  - Al-Fe-Ce powders, 551
  - nickel aluminide, 639
- Mechanical behavior
  - mechanically alloyed nickel aluminide, 639
- Mechanical properties
  - gas pressure quenched alloys, 559
  - influence of slag particles in a high speed steel, 626
  - influence of slag particles in a stainless steel, 627
  - Fe-Mo-B—Ni alloys, 593
  - phosphorus in iron compacts, 547
  - rapidly solidified 7075-type alloy, 628
- Metal injection molding (see injection molding)
- Metal matrix composites
  - applications and potential, 585
- Microstructure
  - gas pressure quenched alloys, 559
  - liquid phase sintering, 552
  - mechanically alloyed nickel aluminide, 639
  - necklace, 552
  - novel, 601
  - rapid solidification processed Fe-Si-Al, 548
- Modeling
  - effect of porosity on low cycle fatigue crack initiation, 712
- Molybdenum
  - in Fe-Mo-B, 558
- Multilayered compacts
  - green strength of the interface, 571
- Near net shape
  - beryllium, 695
  - from elemental titanium powder blends, 697
- Necklace microstructures
  - from liquid phase sintering, 552
- Nd-Fe-B
  - particle interaction effects, 649
- Net shape
  - full density injection molded parts, 536
- Net shape manufacturing, 601
- Ni-base superalloys
  - prior particle boundary precipitation, 676
- Nickel
  - effect on mechanical properties of Fe-Mo-B alloys, 593
- Nickel aluminide
  - mechanical behavior, 639
  - mechanically alloyed, 639
  - microstructure, 639
- Niobium
  - dispersion hardening alloys for implants, 554
- Novel metals, 611
- Novel microstructures, 601
- Oxides
  - influence on properties of Al-Li-Cu alloys, 711
- P/M at the Turn of the New Century, 604
- P/M, present status in:
  - Canada, 661
  - East Germany, 708

- Federal Republic of Germany, 662
- Finland, 619
- India (1988), 632
- India (1990), 718
- Israel, 620
- Italy, 621
- Japan (1988), 622
- Japan (1989), 670
- Korea, 671
- Sweden (1988), 633
- Sweden (1990), 690
- Taiwan, 698
- United Kingdom (1988), 623
- United Kingdom (1989), 672
- United States, 663
- West Germany, 624
- P/M research at:
  - Air Force Wright Aeronautical Laboratories, 598
  - Allied Signal, Inc., 625
  - Battelle, 562
  - Catholic University, Leuven, Belgium, 719
  - Central-South University of Technology, PRC, 606
  - Drexel University, 555
  - Krebsoge, 614
  - Max-Planck-Society, 664
  - National Engineering Laboratory, 691
  - Oak Ridge National Laboratory, 644
  - Pratt and Whitney, 699
  - Quebec Metal Powders, Ltd., 587
  - Rensselaer Polytechnic Institute, 569
  - SCM Metal Products, Inc., 682
- P/M Technology Review (1987), 590
- P/M Technology Review (1988), 618
- P/M Technology Review (1989), 654
- P/M Technology Review (1990's), 689
- Particle interaction effects
  - Nd-Fe-B ribbons, 649
- Parts
  - as-sintered connecting rods, 630
  - automotive, 630
  - automotive applications, 591, 659
  - increasing productivity using Tower - Buffer, 592
  - injection molded, 536
  - prealloyed Ti for airframe structures, 595
  - produced by computer aided design, 641
- Phosphorus
  - effect in iron compacts, 547
- Plant automation, 596
- Pore shape
  - impact properties, 537
- Porosity
  - effect on low cycle fatigue crack initiation, 712
  - effect on properties, 568
  - machinability of 304L stainless steel, 660
- Powder blends
  - of elemental titanium to form near net shapes, 697
- Powder characterization
  - fourier analysis, 535
- Powder composition
  - effects on machining grade compacts, 530
- Powder forging, 541
- Powder injection molding (see injection molding)
- Powder metal handling
  - increasing productivity, 642
- Powder production
  - pulverization, 688
  - rapidly solidified ribbons, 688
- Prealloyed titanium
  - for airframe structures, 595
  - barriers to use, 603
- Precipitation
  - prior particle boundary, in Ni-base superalloys, 676
- Processing
  - titanium aluminides, 696
- Production of metal powders
  - high frequency vibrating arc electrode, 647
- Productivity
  - powder metal handling, 642
- Profile—P/M Pioneers
  - Henry H. Hausner, 577
- Properties
  - cobalt free high speed steel, 714, 715
  - effect of porosity, 568
- Pulverization
  - of rapidly solidified ribbons, 688
- Rapid solidification
  - Al alloys, 584
  - Al-Fe-Ce powders, 551
  - ceramic-titanium aluminide powders, 692
  - cost modeling, 629
  - fracture behavior, 544
  - Fe-Al-Si alloys, 544
  - liquid dynamic compaction of aluminum, 550
  - magnesium base alloys, 581
  - market assessment, 586
  - of Al alloys, 586
  - pulverization of ribbons, 688
  - titanium base alloys, 581
- Rapid solidification at:
  - Air Force Wright Aeronautical Laboratories, 598
  - Allied Signal, Inc., 625
- Rapid solidification processing
  - light alloy development, 693
  - microstructure / processing of Fe-Si-Al, 548
- Rare earth permanent magnets, 667
- Rolling contact fatigue
  - high speed steels, 713
- Sensors
  - for atomization, 705
- Service-oriented business strategy, 653
- Shape
  - computer simulation, 701
- Silver Anniversary Retrospective 1965, 656
- Sinter bonding
  - bond strength, 650
  - composite preforms, 650
- Sintering
  - Fe-Al mixes, 529
  - mechanism, 532
  - temperature, 616
  - to high density, 540
  - tungsten heavy alloy, 616
  - W-Co spheroidal particles, 546
- Sintering atmosphere, 530
- trouble-shooting, 704
- Sintering model
  - classic bubble raft dynamics, 643

- Slag particles
  - influence on corrosion resistance of a stainless steel, 627
  - influence on mechanical properties of a high speed steel, 626
  - influence on mechanical properties of a stainless steel, 627
- Spray forming, 543
- Stainless steel
  - effect of porosity on machinability, 660
  - liquid phase sintering, 563
- Statistical process control, 574
- Statistical process control, 602
- Steel
  - copper infiltrated, 560
  - hot isostatically pressed, 615
  - impact and fatigue properties, 560
  - superplasticity, 666
  - ultrahigh carbon, 666
- Structure
  - cobalt free high speed steel 714, 715
- Superalloys
  - low cobalt, 607
  - Ni-base, 676
  - prior particle boundary precipitation, 676
  - technical and economic considerations, 694
- Superplasticity
  - Fe-Cr-Ni-B glassy alloy, 583
  - ultrahigh carbon steel, 666
- Surface oxidation
  - influence on hot isostatically pressed steel, 615
- Tensile flow
  - in Fe-P compacts, 533
- Tensile fracture
  - in Fe-P compacts, 533
- Thermal debinding theory, 600
- Thermal expansion
  - controlled, in metal-ceramic composites, 609
- Tin bronze powders
  - filters, 652
- Titanium
  - prealloyed for airframe structures, 595
  - prealloyed, barriers to use, 603
  - near net shapes from elemental titanium powder blends, 697
- Titanium aluminides
  - processing, 696
- Titanium base alloys
  - rapidly solidified, 581
- Tower - Buffer, 592
- Tungsten
  - sintering temperature, 616
  - trends in the industry, 613
- W-Co
  - agglomeration and sintering, 546
- W-Ni-Fe compacts
  - liquid phase sintering, 531
- WC-Co agglomerates
  - spheroidization, 665
- Tungsten heavy alloy
  - injection molded, 640
  - liquid phase sintering, 648
- Ultrasonic gas atomization
  - jet behavior, 657
- Uranium
  - dispersion strengthened, 651
- Weldability
  - rapidly solidified Al, 584
- Wick debinding distortion
  - of injection molded powder compacts, 702
- Zinc powders
  - gas atomization, 684